


Strip Trial Treatment and Management Information


ST2009442A



TREATMENT	
Yield Data	
•	Headline
•	Untreated
•	Non-Trial



Non-Trial Yield Points (in grey) Are Not Used in Summary Statistics

Trial Type	Headline Fungicide on Corn
Application Method	Ground
Previous Crop	Soybeans
Hybrid	Pioneer 34Y03
Application Date/Crop Stage	7/30/2009, R1 Silking
County	Calhoun




Grain Yield Map and Strip Trial Area with Soils

ST2009442A



Harvest Variable	Treatment	
	Headline	Untreated
Combine Speed (mph)	3.5	3.7
Grain Moisture (%)	25.6	22.5

Averages Calculated within Trial Area



Strip Trial Summary Statistics

ST2009442A

Yield By Treatment and Soil Type

Soil Type	Label	Percent of Trial		Yield (Bu/Ac)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster silty clay loam, 0 to 2 percent slopes	107	17.0	16.7	185.1	169.2	15.9
Clarion loam, 2 to 5 percent slopes	138B	18.5	20.3	202.5	183.7	18.8
Nicollet loam, 1 to 3 percent slopes	55	14.8	11.9	203.4	183.9	19.5
Okoboji silty clay loam, 0 to 1 percent slopes	6	0.5	0.2	151.5	147.8	3.7
YIELD AVERAGE FOR TRIAL				196.4	178.7	17.7

Yield Average By Individual Treatment Strip

