


Strip Trial Treatment and Management Information

ST2009443A



0 100 200 400 600 Feet


TREATMENT

Yield Data

- Quilt
- Untreated
- Non-Trial


Non-Trial Yield Points (in grey) Are Not Used in Summary Statistics

Trial Type	Quilt Fungicide on Corn
Application Method	Ground
Previous Crop	Corn (continuous-4 yr)
Hybrid/Variety	Dekalb DKC61-69 (west 2 reps), Dekalb DKC62-54 (east 2 reps)
Application Date/Crop Stage	8/5/2009, Not Provided
County	Webster




Grain Yield Map and Strip Trial Area with Soils

ST2009443A




0 100 200 400 600 Feet



Harvest Variable	Treatment	
	Quilt	Untreated
Combine Speed (mph)	5.4	5.7
Grain Moisture (%)	19.6	19.0

Averages Calculated within Trial Area



Strip Trial Summary Statistics

ST2009443A

Yield By Treatment and Soil Type

Soil Type	Label	Percent of Trial		Yield (Bu/Ac)		Yield Difference
		Quilt	Untreated	Quilt	Untreated	
Webster silty clay loam, 0 to 2 percent slopes	107	54.5	35.8	217.5	211.9	5.6
Nicollet loam, 1 to 3 percent slopes	55	6.0	3.7	219.5	218.6	0.9
YIELD AVERAGE FOR TRIAL				217.7	212.6	5.1

Yield Average By Individual Treatment Strip

