



ST2008324A

2008 Aerial Imagery With Soil Survey



ST2008324A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics



Trial Type	Plant Nutrition - GP 4350 on Soybeans
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	Asgrow AG2423
Application Date/Crop Stage	8/11/2008 - R3 Beg. Pod
County	Boone

PLANT TREATMENT




Yield Data Points

- GP 4350
- Untreated
- Non-Trial



ST2008324A

Trial Grain Yield Map With Soil Survey



ST2008324A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		GP 4350	Untreated	GP 4350	Untreated	
Webster	107	7.9	9.2	48.8	40.0	8.8
Clarion	138B	13.1	12.1	44.9	41.5	3.4
Clarion	138C2	6.4	7.8	43.5	38.1	5.4
Spillville	485B	3.1	4.2	46.2	41.4	4.8
Canisteo	507	19.8	15.6	46.7	42.5	4.2
Storden	62D2	0.3	0.4	22.2	21.8	0.4
YIELD AVERAGE FOR TRIAL				46.0	40.8	5.2

