



ST2008232A

2008 Aerial Imagery With Soil Survey



ST2008232A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics

Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	NK Brand N45-A6
Application Date/Crop Stage	7/28/2008 - R1 Silking
County	Bremer

FUNGICIDE TREATMENT


Yield Data Points

- Headline
- Untreated
- Non-Trial



ST2008232A

Trial Grain Yield Map With Soil Survey



ST2008232A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Burkhardt	BuC	2.1	2.1	104.4	107.8	-3.4
Dickinson Gr Sub	DgA	40.8	37.9	102.6	101.8	0.8
Hagener Benches	HbA	7.3	8.4	105.8	100.7	5.1
Waukegan Mod Deep	WgA	0.4	1.3	129.6	126.9	2.7
YIELD AVERAGE FOR TRIAL				103.3	102.5	0.8

