




ST2008234A

2008 Aerial Imagery With Soil Survey



ST2008234A

Treatment Type and Location of Trial Within Field




Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics

Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	High Amlose Food Grade
Application Date/Crop Stage	7/28/2008 - R1 Silking
County	Bremer

FUNGICIDE TREATMENT


Yield Data Points

- Headline
- Untreated
- Non-Trial



ST2008234A

Trial Grain Yield Map With Soil Survey



ST2008234A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Burkhardt	BuA	21.9	20.9	86.6	81.5	5.1
Dickinson Benches	DdA	10.7	11.6	123.5	118.1	5.4
Dickinson Benches	DdB	2.2	1.1	103.0	118.5	-15.5
Dickinson Gr Sub	DgA	10.1	9.4	60.6	53.9	6.7
Hagener Benches	HaC	0.2	0.0	159.9	0.0	0.0
Hagener Benches	HbA	5.4	5.5	48.4	47.7	0.7
Waukegan Deep	WkA	0.7	0.4	138.8	146.8	-8.0
YIELD AVERAGE FOR TRIAL				86.9	82.5	4.4

