



ST2008242A

2008 Aerial Imagery With Soil Survey



ST2008242A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics




Trial Type	Plant Nutrition - GP 4350 on Corn
Application Method	Ground Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	NK Brand N51-T8
Application Date/Crop Stage	8/1/2008 - R1 Silking
County	Bremer

PLANT TREATMENT	
Yield Data Points	
● GP 4350	
● Untreated	
● Non-Trial	



ST2008242A

Trial Grain Yield Map With Soil Survey



ST2008242A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		GP 4350	Untreated	GP 4350	Untreated	
Atkinson	AtB	13.4	11.7	175.5	170.6	4.9
Blockton Variant	Bk	2.6	1.9	189.4	195.1	-5.7
Kenyon	KeB	4.1	2.4	173.6	173.5	0.1
Ostrander	OsB	16.0	11.3	188.6	195.3	-6.7
Rockton	RkB	3.1	2.2	181.7	176.7	5.0
Sogn Soils	SoD	4.2	3.7	164.2	164.1	0.1
Terril	TxB	12.5	10.9	190.6	192.8	-2.2
YIELD AVERAGE FOR TRIAL				182.6	183.4	-0.8

