



ST2008243A

# 2008 Aerial Imagery With Soil Survey



ST2008243A

# Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)  
Are Not Used In Summary Statistics


<b>Trial Type</b>	Plant Nutrition - GP 4350 on Soybeans
<b>Application Method</b>	Ground Applied
<b>Crop Rotation</b>	Soybeans Following Corn
<b>Hybrid/Variety</b>	FS/Growmark HS22R70
<b>Application Date/Crop Stage</b>	8/1/2008 - R3 Beg. Pod
<b>County</b>	Bremer

<b>PLANT TREATMENT</b>	
Yield Data Points	
●	GP 4350
●	Untreated
●	Non-Trial



ST2008243A

# Trial Grain Yield Map With Soil Survey



**GRAIN YIELD (bu/a)**

- 37.6 - 46.5
- 46.5 - 48.6
- 48.6 - 50.1
- 50.1 - 51.7
- 51.7 - 54.0
- 54.0 - 65.6

□ Soil Survey



ST2008243A

## Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		GP 4350	Untreated	GP 4350	Untreated	
Dinsdale	DsB	10.1	14.1	51.6	50.9	0.7
Kenyon	KeB	13.0	9.3	48.6	49.1	-0.5
Kenyon	KeC	5.4	7.1	52.3	49.8	2.5
Klinger	Kg	4.6	5.8	49.4	50.7	-1.3
Ostrander	OsC	13.4	17.3	50.1	50.6	-0.5
<b>YIELD AVERAGE FOR TRIAL</b>				<b>50.2</b>	<b>50.3</b>	<b>-0.1</b>

