



ST2008027A

2008 Aerial Imagery With Soil Survey



ST2008027A

Treatment Type and Location of Trial Within Field




Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics

Trial Type	Headline Fungicide
Application Method	In Furrow
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	Pioneer 37N16
Application Date/Crop Stage	5/16/2008 - Planting
County	Chickasaw

FUNGICIDE TREATMENT



Yield Data Points

- Headline
- Untreated
- Non-Trial



ST2008027A

Trial Grain Yield Map With Soil Survey



ST2008027A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Clyde-Floyd Complex, 1 To 4 Percent Slopes	391B	9.9	10.3	191.6	196.6	-5.0
Tripoli Clay Loam, 0 To 2 Percent Slopes	398	1.4	1.4	201.3	196.6	4.7
Readlyn Loam, 0 To 2 Percent Slopes	399	2.4	2.2	177.6	170.9	6.7
Readlyn Loam, 2 To 5 Percent Slopes	399B	33.9	33.5	177.1	175.8	1.3
Kenyon Loam, 2 To 5 Percent Slopes	83B	2.5	2.5	184.0	187.5	-3.5
YIELD AVERAGE FOR TRIAL				181.0	181.0	0.0

