



ST2008027B

2008 Aerial Imagery With Soil Survey



ST2008027B

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics

Trial Type	Nitrogen - Normal -50
Fertilizer Form	NH3
Fertilizer Timing	Fall
Treatments	100 lbs N vs 150 lbs N
Previous Crop	Soybean
County	Chickasaw

NITROGEN TREATMENT



Yield Data Points

- 150 lbs N
- 100 lbs N
- Non-Trial



ST2008027B

Trial Grain Yield Map With Soil Survey



ST2008027B

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		150 lbs N	100 lbs N	150 lbs N	100 lbs N	
Clyde-Floyd Complex, 1 To 4 Percent Slopes	391B	7.5	3.9	231.8	223.5	8.3
Tripoli Clay Loam, 0 To 2 Percent Slopes	398	13.1	12.1	233.5	218.1	15.4
Readlyn Loam, 0 To 2 Percent Slopes	399	2.7	5.7	219.8	205.9	13.9
Readlyn Loam, 2 To 5 Percent Slopes	399B	17.1	17.0	214.3	206.8	7.5
Kenyon Loam, 2 To 5 Percent Slopes	83B	9.8	11.2	215.1	208.3	6.8
YIELD AVERAGE FOR TRIAL				222.4	211.1	11.3

