



ST2008265A

2008 Aerial Imagery With Soil Survey



ST2008265A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics



Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	NK Brand S21-N6
Application Date/Crop Stage	7/30/2008 - R3 Beg. Pod
County	Chickasaw

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial

0 400 800 1200 1600 Feet

ST2008265A

Trial Grain Yield Map With Soil Survey



ST2008265A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Floyd Loam, 1 To 4 Percent Slopes	198B	1.5	3.5	52.6	44.6	8.0
Clyde-Floyd Complex, 1 To 4 Percent Slopes	391B	10.1	10.7	52.6	50.6	2.0
Ostrander Loam, 2 To 5 Percent Slopes	394B	25.6	29.5	50.6	48.3	2.3
Ostrander Loam, 5 To 9 Percent Slopes, Moderately Eroded	394C2	7.3	11.8	50.3	49.2	1.1
YIELD AVERAGE FOR TRIAL				51.1	48.7	2.4

