




ST2008153A

2008 Aerial Imagery With Soil Survey



ST2008153A

Treatment Type and Location of Trial Within Field




Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	Stine S2032-4
Application Date/Crop Stage	8/7/2008 - Not Provided
County	Greene

FUNGICIDE TREATMENT




Yield Data Points

- Headline
- Untreated
- Non-Trial



ST2008153A

Trial Grain Yield Map With Soil Survey



ST2008153A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Cylinder Loam, 24 To 32 Inches To Sand And Gravel, 0 To 2 Percent Slopes	202	8.7	8.8	43.3	40.3	3.0
Cylinder Loam, 32 To 40 Inches To Sand And Gravel, 0 To 2 Percent Slopes	203	4.1	0.8	41.9	44.4	-2.5
Biscay Loam, 24 To 32 Inches To Sand And Gravel, 0 To 2 Percent Slopes	258	3.8	4.7	38.9	38.5	0.4
Estherville Sandy Loam, 0 To 2 Percent Slopes	34	1.2	1.9	46.6	39.2	7.4
Estherville Sandy Loam, 2 To 5 Percent Slopes	34B	5.2	2.5	40.5	38.0	2.5
Mayer Loam, 24 To 32 Inches To Sand And Gravel, 0 To 2 Percent Slopes	658	19.4	18.5	43.8	39.1	4.7
Mayer Loam, 32 To 40 Inches To Sand And Gravel, 0 To 2 Percent Slopes	659	3.1	4.8	52.4	46.1	6.3
Calco Silty Clay Loam, 0 To 2 Percent Slopes	733	7.2	5.5	41.4	40.2	1.2
YIELD AVERAGE FOR TRIAL				43.2	40.1	3.1

