




ST2008075A

2008 Aerial Imagery With Soil Survey



ST2008075A

Treatment Type and Location of Trial Within Field




Trial Type	Tillage - No Till vs Chisel Plowed
Application Method	NA
Crop Rotation	Corn Following Corn (3 Years)
Hybrid/Variety	Midwest Seed Genetics 76485
Application Date/Crop Stage	NA - NA
County	Hardin

TILLAGE TREATMENT




Yield Data Points

- Chisel Plowed
- No Till
- Non-Trial



ST2008075A

Trial Grain Yield Map With Soil Survey



ST2008075A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Chisel Plowed	No Till	Chisel Plowed	No Till	
Clarion Loam, 2 To 5 Percent Slopes	138B	33.3	16.3	179.6	160.6	19.0
Clarion Loam, 5 To 9 Percent Slopes, Moderately Eroded	138C2	4.6	1.9	196.5	190.7	5.8
Webster-Nicollet Complex, 1 To 3 Percent Slopes	329	21.1	8.9	171.1	160.7	10.4
Canisteo Silty Clay Loam, 0 To 2 Percent Slopes	507	1.3	0.2	167.6	152.9	14.7
Harps Loam, 1 To 3 Percent Slopes	95	6.8	5.7	163.4	148.7	14.7
YIELD AVERAGE FOR TRIAL				176.2	160.2	16.0

