



ST2008193A

2008 Aerial Imagery With Soil Survey



ST2008193A

Treatment Type and Location of Trial Within Field




Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics






Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	Golden Harvest H-8265
Application Date/Crop Stage	7/26/2008 - R2 Blister
County	Humboldt

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008193A

Trial Grain Yield Map With Soil Survey



ST2008193A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Clarion Loam, 2 To 5 Percent Slopes	138B	5.1	8.2	209.3	201.2	8.1
Garmore Loam, 0 To 2 Percent Slopes	338	18.0	18.8	211.8	206.0	5.8
Nicollet Loam, 1 To 3 Percent Slopes	55	21.7	28.3	206.8	198.2	8.6
YIELD AVERAGE FOR TRIAL				209.1	201.3	7.8

