




ST2008296A

2008 Aerial Imagery With Soil Survey



ST2008296A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics






Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	Pioneer 92M11
Application Date/Crop Stage	8/2/2008 - R3 Beg. Pod
County	Humboldt

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008296A

Trial Grain Yield Map With Soil Survey



ST2008296A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Silty Clay Loam, 0 To 2 Percent Slopes	107	18.8	27.3	60.1	56.5	3.6
Clarion Loam, 2 To 5 Percent Slopes	138B	18.6	14.3	53.7	53.2	0.5
Clarion-Storden Complex, 5 To 9 Percent Slopes, Moderately Eroded	638C2	11.3	9.8	45.2	47.8	-2.6
YIELD AVERAGE FOR TRIAL				54.2	53.9	0.3

