




ST2008364A

2008 Aerial Imagery With Soil Survey



ST2008364A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics





Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	Multiple
Application Date/Crop Stage	8/3/2008 - R3 Beg. Pod
County	Humboldt

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008364A

Trial Grain Yield Map With Soil Survey



ST2008364A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Silty Clay Loam, 0 To 2 Percent Slopes	107	25.7	30.0	52.0	52.8	-0.8
Clarion Loam, 2 To 5 Percent Slopes	138B	20.1	22.1	50.7	52.2	-1.5
Clarion Loam, 5 To 9 Percent Slopes, Moderately Eroded	138C2	0.8	1.3	41.9	49.5	-7.6
YIELD AVERAGE FOR TRIAL				51.3	52.4	-1.1

