



ST2008365A

2008 Aerial Imagery With Soil Survey



ST2008365A


Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics


Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	Pioneer 92M61
Application Date/Crop Stage	8/3/2008 - R3 Beg. Pod
County	Humboldt

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008365A

Trial Grain Yield Map With Soil Survey



ST2008365A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Cylinder Loam, 32 To 40 Inches To Sand And Gravel, 0 To 2 Percent Slopes	203	13.2	10.5	55.1	54.0	1.1
Biscay Clay Loam, 32 To 40 Inches To Sand And Gravel, 0 To 2 Percent Slopes	259	3.1	3.0	57.5	56.7	0.8
Terril Loam, 2 To 5 Percent Slopes	27B	1.6	7.6	50.0	48.0	2.0
Wadena Loam, 32 To 40 Inches To Sand And Gravel, 0 To 2 Percent Slopes	308	17.1	17.2	52.0	53.7	-1.7
Wadena Loam, 32 To 40 Inches To Sand And Gravel, 2 To 5 Percent Slopes	308B	4.3	4.9	52.1	50.7	1.4
Hanlon Fine Sandy Loam, 0 To 2 Percent Slopes, Occasionally Flooded	536	2.6	1.7	40.8	41.3	-0.5
Ridgeport Sandy Loam, 2 To 5 Percent Slopes	823B	6.8	6.4	43.5	46.7	-3.2
YIELD AVERAGE FOR TRIAL				51.3	51.5	-0.2

