



ST2008189A

2008 Aerial Imagery With Soil Survey



ST2008189A


Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics



Trial Type	Headline Fungicide
Application Method	Aerial Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	Pioneer 35F44
Application Date/Crop Stage	7/30/2008 - R1 Silking
County	Pocahontas

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008189A

Trial Grain Yield Map With Soil Survey



ST2008189A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Clay Loam, 0 To 2 Percent Slopes	107	16.1	17.3	217.7	214.0	3.7
Clarion Loam, 2 To 5 Percent Slopes	138B	13.5	11.7	220.4	217.3	3.1
Kossuth Silty Clay Loam, 0 To 2 Percent Slopes	388	1.6	5.1	228.0	219.1	8.9
Canisteo Clay Loam, 0 To 2 Percent Slopes	507	0.5	0.3	219.3	213.5	5.8
Nicollet Clay Loam, 1 To 3 Percent Slopes	55	16.9	17.0	220.0	213.3	6.7
YIELD AVERAGE FOR TRIAL				219.6	215.0	4.6

