



ST2008189B

2008 Aerial Imagery With Soil Survey



ST2008189B

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics




Trial Type	Headline Fungicide
Application Method	Aerial Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	Pioneer 37Y14
Application Date/Crop Stage	7/30/2008 - R1 Silking
County	Pocahontas

FUNGICIDE TREATMENT


Yield Data Points

- Headline
- Untreated
- Non-Trial



ST2008189B

Trial Grain Yield Map With Soil Survey



ST2008189B

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Clay Loam, 0 To 2 Percent Slopes	107	9.3	13.3	211.8	213.0	-1.2
Clarion Loam, 2 To 5 Percent Slopes	138B	3.1	2.8	220.2	214.4	5.8
Kossuth Silty Clay Loam, 0 To 2 Percent Slopes	388	15.1	22.8	211.1	207.8	3.3
Canisteo Clay Loam, 0 To 2 Percent Slopes	507	1.7	5.3	219.2	206.1	13.1
Nicollet Clay Loam, 1 To 3 Percent Slopes	55	9.5	14.0	216.9	211.9	5.0
Okoboji Silty Clay Loam, 0 To 1 Percent Slopes	6	0.9	2.0	210.7	212.7	-2.0
YIELD AVERAGE FOR TRIAL				213.7	210.2	3.5

