



ST2008229A

2008 Aerial Imagery With Soil Survey



ST2008229A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics




Trial Type	Headline Fungicide
Application Method	Aerial Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	Dekalb DKC50-48
Application Date/Crop Stage	7/30/2008 - R1 Silking
County	Pocahontas

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008229A

Trial Grain Yield Map With Soil Survey



ST2008229A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Clay Loam, 0 To 2 Percent Slopes	107	24.3	25.8	208.6	208.3	0.3
Clarion Loam, 2 To 5 Percent Slopes	138B	3.3	3.6	211.2	209.1	2.1
Canisteo Clay Loam, 0 To 2 Percent Slopes	507	4.8	4.1	214.4	209.7	4.7
Nicollet Clay Loam, 1 To 3 Percent Slopes	55	16.1	15.3	207.8	207.4	0.4
Okoboji Silty Clay Loam, 0 To 1 Percent Slopes	6	1.6	1.0	212.2	205.5	6.7
YIELD AVERAGE FOR TRIAL				209.2	208.1	1.1

