



ST2008167A

2008 Aerial Imagery With Soil Survey



ST2008167A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics



Trial Type	Headline Fungicide
Application Method	Aerial Applied
Crop Rotation	Corn Following Corn (3 Years)
Hybrid/Variety	Pioneer 33D14
Application Date/Crop Stage	8/19/2008 - R2 Blister
County	Polk

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial

0 700 1400 2100 Feet

ST2008167A

Trial Grain Yield Map With Soil Survey



ST2008167A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Silty Clay Loam, Moderately Coarse Substratum, 0 To 2 Percent Slopes	107	13.3	16.1	164.9	160.2	4.7
Clarion Loam, Moderately Coarse Substratum, 2 To 5 Percent Slopes	138B	13.3	21.9	172.5	175.8	-3.3
Nicollet Loam, 1 To 3 Percent Slopes	55	14.5	21.0	169.1	167.9	1.2
YIELD AVERAGE FOR TRIAL				168.9	168.7	0.2

