



ST2008199A

2008 Aerial Imagery With Soil Survey



ST2008199A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics

Trial Type	Headline Fungicide
Application Method	Aerial Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	Pioneer 32B83
Application Date/Crop Stage	8/19/2008 - R2 Blister
County	Polk

FUNGICIDE TREATMENT


Yield Data Points

- Headline
- Untreated
- Non-Trial



ST2008199A

Trial Grain Yield Map With Soil Survey



GRAIN YIELD (bu/a)

- 76.8 - 168.0
- 168.0 - 178.2
- 178.2 - 186.2
- 186.2 - 194.3
- 194.3 - 204.7
- 204.7 - 247.7

□ Soil Survey

<Empty Scalebar>

ST2008199A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Zook Silty Clay, 0 To 2 Percent Slopes, Occasionally Flooded	134	2.8	3.2	159.3	143.0	16.3
Coland Clay Loam, 0 To 2 Percent Slopes, Occasionally Flooded	135	21.3	23.5	179.4	181.4	-2.0
Spilville Loam, 0 To 2 Percent Slopes, Occasionally Flooded	485	23.4	25.8	193.9	192.7	1.2
YIELD AVERAGE FOR TRIAL				185.3	184.6	0.7

