




ST2008165A

2008 Aerial Imagery With Soil Survey



ST2008165A

Treatment Type and Location of Trial Within Field




Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics




Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	Pioneer 92M54
Application Date/Crop Stage	8/6/2008 - R3 Beg. Pod
County	Story

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008165A

Trial Grain Yield Map With Soil Survey



ST2008165A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Clay Loam, 0 To 2 Percent Slopes	107	1.8	1.0	61.7	60.1	1.6
Clarion Loam, 2 To 5 Percent Slopes	138B	11.8	13.4	64.6	61.1	3.5
Clarion Loam, 5 To 9 Percent Slopes, Moderately Eroded	138C2	25.2	16.2	63.2	60.9	2.3
Nicollet Loam, 1 To 3 Percent Slopes	55	11.8	6.5	64.7	61.8	2.9
Zenor Sandy Loam, 2 To 5 Percent Slopes	828B	7.3	4.9	66.0	63.2	2.8
YIELD AVERAGE FOR TRIAL						
				64.1	61.4	2.7

