



ST2008181A

2008 Aerial Imagery With Soil Survey



ST2008181A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics



Trial Type	Headline Fungicide
Application Method	Aerial Applied
Crop Rotation	Corn Following Soybeans
Hybrid/Variety	Pioneer 34F96
Application Date/Crop Stage	8/19/2008 - R2 Blister
County	Story

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008181A

Trial Grain Yield Map With Soil Survey



ST2008181A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Clay Loam, 0 To 2 Percent Slopes	107	15.4	26.0	192.6	193.6	-1.0
Clarion Loam, 2 To 5 Percent Slopes	138B	5.6	11.1	173.4	187.5	-14.1
Clarion Loam, 5 To 9 Percent Slopes, Moderately Eroded	138C2	9.1	12.3	202.8	187.3	15.5
Dickinson Fine Sandy Loam, 2 To 5 Percent Slopes	175B	3.3	7.0	184.4	209.2	-24.8
Dickinson Fine Sandy Loam, 5 To 9 Percent Slopes	175C	4.0	6.2	178.5	185.7	-7.2
YIELD AVERAGE FOR TRIAL						
				189.9	192.2	-2.3

