



ST2008212A

2008 Aerial Imagery With Soil Survey



ST2008212A

Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)
Are Not Used In Summary Statistics


Trial Type	Headline Fungicide
Application Method	Ground Applied
Crop Rotation	Soybeans Following Corn
Hybrid/Variety	Pioneer 92M54
Application Date/Crop Stage	8/6/2008 - R3 Beg. Pod
County	Story

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008212A

Trial Grain Yield Map With Soil Survey



ST2008212A

Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Webster Clay Loam, 0 To 2 Percent Slopes	107	11.4	11.1	58.3	52.8	5.5
Clarion Loam, 5 To 9 Percent Slopes, Moderately Eroded	138C2	2.3	2.2	47.8	41.7	6.1
Dickinson Fine Sandy Loam, 2 To 5 Percent Slopes	175B	2.7	3.5	56.6	52.9	3.7
Farrar Fine Sandy Loam, 2 To 5 Percent Slopes	253B	18.3	21.5	55.7	50.8	4.9
Sparta Loamy Fine Sand, 5 To 9 Percent Slopes	41C	13.1	14.0	45.3	42.6	2.7
YIELD AVERAGE FOR TRIAL				53.2	48.8	4.4

