


ST2008403A

# Treatment Type and Location of Trial Within Field



Non-Trial Yield Points (in grey)  
Are Not Used In Summary Statistics




<b>Trial Type</b>	Headline Fungicide
<b>Application Method</b>	Ground Applied
<b>Crop Rotation</b>	Soybeans Following Corn
<b>Hybrid/Variety</b>	Multiple
<b>Application Date/Crop Stage</b>	8/7/2008 - R3 Beg. Pod
<b>County</b>	Story

FUNGICIDE TREATMENT	
Yield Data Points	
●	Headline
●	Untreated
●	Non-Trial



ST2008403A

# Trial Grain Yield Map With Soil Survey



ST2008403A

## Summary Statistics By Soil Type and By Individual Treatment Strip

Soil Name	Label	Percent of Trial		Yield (bu/a)		Yield Difference
		Headline	Untreated	Headline	Untreated	
Coland Clay Loam, 0 To 2 Percent Slopes	135	22.5	19.3	56.0	53.7	2.3
Sand And Gravel, 0 To 2 Percent Slopes	203	2.9	1.6	59.2	55.1	4.1
Spillville Loam, 0 To 2 Percent Slopes	485	17.2	17.8	55.6	52.4	3.2
Zook Silty Clay Loam, 0 To 2 Percent Slopes	54	12.9	5.8	53.9	51.1	2.8
<b>YIELD AVERAGE FOR TRIAL</b>				<b>55.5</b>	<b>52.9</b>	<b>2.6</b>

